


# DOIN ELECTRIC




DEXIN ELECTRIC TECHNOLOGY



[www.doinele.com](http://www.doinele.com)



# Non-insulated Butt and Parallel connectors



Case diagram	Conductor Range	Item No.	Dimensions (mm)				A.W.G
			L	L1	D	d1	
	0.2-0.5 mm <sup>2</sup>	BN 0.5	2.1	1.3	12.0	0.4	26-22
	0.5-1.5 mm <sup>2</sup>	BN 1.25	3.3	1.7	15.0	0.8	22-16
	1.5-2.5 mm <sup>2</sup>	BN 2	3.9	2.3	15.0	0.8	16-14
	2.5-4 mm <sup>2</sup>	BN 3.5	5.0	3.0	15.0	1.0	14-12
	4-6 mm <sup>2</sup>	BN 5.5	5.4	3.4	15.0	1.0	12-10
	8 mm <sup>2</sup>	BN 8	7.0	4.6	21.0	1.2	8.0
	14 mm <sup>2</sup>	BN 14	8.9	5.9	26.0	1.5	6.0
	22 mm <sup>2</sup>	BN 22	11.3	7.8	29.0	1.8	4.0
	38 mm <sup>2</sup>	BN 38	13.2	9.5	32.0	1.9	2.0
	60 mm <sup>2</sup>	BN 60	15.3	11.4	36.0	2.0	1/0
	70 mm <sup>2</sup>	BN 70	17.5	13.3	37.0	2.1	2/0
	80 mm <sup>2</sup>	BN 80	19.5	14.5	38.0	2.5	3/0
	100 mm <sup>2</sup>	BN 100	22.1	16.4	38.0	2.9	4/0
	150 mm <sup>2</sup>	BN 150	26.4	19.5	54.0	3.5	250/300
	180 mm <sup>2</sup>	BN 180	28.5	21.0	57.0	3.8	300/350
	200 mm <sup>2</sup>	BN 200	32.4	24.0	63.0	4.2	400/500
325 mm <sup>2</sup>	BN 325	37.0	28.0	72.0	4.5	500/600	



WENZHOU DEXIN ELECTRICTECHNOLOGY CO., LTD

---

[www.doinele.com](http://www.doinele.com)

Add: No.1888 Feihong S.Road, 325608 Wenzhou City, Zhejiang Provice R.P.C.